

BRAVIA[™] 4K Professional Displays

24/7 displays designed for business

BZ40H-series FW-85BZ40H FW-75BZ40H

FW-65BZ40H FW-55BZ40H

BZ35F-series FW-49BZ35F





4K Next generation picture quality

Bring the incredible depth and quality of 4K resolution to your business with our BRAVIA 4K Professional Displays, now available in 43" – 85" screen sizes.

Superior displays designed for business

Portrait, advanced control, professional mode, optional interactive compatibility, 24/7 operation or an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by our X1 enhanced processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim new design enhances any corporate or retail environment.

Do more with our BRAVIA solutions

Look no further with BRAVIA. Our new range features a number of fantastic built in and optional solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TEOS Manage, TEOS Connect, TDM Digital Signage, Smart Automation System and the Applications Store, without the need for any external devices or players.


Key Features

Round the clock display

With reliable 24/7 operation, BRAVIA BZ series enable you to deliver your message around the clock. What is more, BRAVIA outshines ordinary displays with a high 620 cd/m²* and up to 850 cd/m²* brightness, combined with a fantastic 4K resolution, it ensures your visual communications always stand out, even in daylight or well-lit rooms, day and night.

New functionalities**

Discover a new world of possibilities with the new BRAVIA functionalities (Apple AirPlay / Wi-Fi 5GHz).





Ultimate Picture Quality

X1

Full Array

⊿K HDR

16:9 4K resolution (3840 x 2160 pixels)

With over 8 million pixels, a 4K resolution screen offers four times the detail of Full HD. Combined with the ability to manage 4K 60P up to 18Gbps, it now produces a level of detail and realism beyond anything you've seen before.

4K X1 Processor

Our powerful 4K X1 Processor enhances contrast, clarity and colour to the highest level. Clarity improves with intelligent upscaling and noise reduction, colours are individually enhanced, and the dynamic range of contrast is optimised frame by frame.

Higher contract, higher brightness

With Full Array Local Dimming being supported (applies to BZ40H models only). Specific sections of the screen can be incredibly bright while other areas remain pitch black so you get the best contrast possible, in addition, light areas in the image receive a boost in backlighting, creating brilliant peaks of brightness.

Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.

Strong performance

With new functionalities such as Wi-Fi 5GHz Support **and Ap**ple AirPlay, the BRAVIA perofmance is stronger than ever before.

Elegant design

With the sleek new design, your BRAVIA will add a perfectly elegant touch to any environment.

Versatile control options

Easily control your BRAVIA remotely – including on/off, input signal select and adjust volume – via IP or via RS-232C. For quick operation in meetings or for digital signage, it takes just one click to change to your chosen default settings.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn your BRAVIA on or off.

Portrait and 24/7 capability

Use the BRAVIA Display in portrait and 24/7 operation mode for a greater signage impact.

Professional Mode

There is now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction. Contact your local Sony dealer for more information.



Bring the incredible depth and quality of 4K resolution to your business

Ideal for:

Corporate presentations Digital signage Video conferencing Education

Do more with BRAVIA

Built-in solutions

Meeting room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There is no need for extra controllers in the room and settings stay exactly as they have been programmed.

Media Player

******* 75%

Easily play images, videos and HTML content on your Pro BRAVIA from a USB flash drive.

Android Applications store

Endless possibilities to display what you need, without external devices, through dedicated applications.

Optional Solutions

TEOS Connect

Great for collaborative working, TEOS Connect allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

TEOS Manage

Sony BRAVIA Professional Displays are fully compatible with TEOS Manage. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there is no player required.

Digital Signage Platform (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.



World Comparison











BZ-series Specifications

		FW-43BZ35F	FW-49BZ35F	FW-55BZ40H	FW-65BZ40H	FW-75BZ40H	FW-85BZ40F
	Screen Size	108.0 cm	123.2cm	139.0 cm	164.0 cm	189.0 cm	215.0 cm
	Brightness (cd/m ²)	505				' Peak 850	2.0.0 0.11
	Native contrast ratio	1400:1	5000:1		6,000:1		4,000:1
	Dynamic contrast ratio	4000		5500		600	
General	Response Time (ms)	5		<u> </u>			
features		5		3840			0
	Display resolution (H x V, pixels)	Ver/UDD10 ULC)		3840)		2 D H 16 1 1	
	HDR (High Dynamic Range) compatiblity	Yes(HDR10, HLG)		Yes(HDR10,HLG,Dolby Vision)			
	Aspect Ratio	16.09					
	Portrait Compatibility	Yes					
	Dimming type	Local Dimming					
	Display device	LCD					
Display	Backlight type	Edge	e LED	Direct LED			
features	4K Processor			X1 4K HDR Processor			
	Operation time			24/7			
	Wide Mode	Wide zoom /Norm	al/Full/700m/14:9	24/7 Auto/Wide zoom/Normal/Full/Zoom/14:9			
	4:3 Default	Yes 4K V Papility PPO					
	Video Processing			4K X-Reality PRO			
	Motion enhancer	Motionflow XR 800	OHz (Native 100Hz)	X-Motion Clarity, Auto mode			
Video Specs	TRILUMINOS Display			Ye	25		
	Viewing Angle (Right/Left/Up/Down)			178(89/89) degree			
	HDMI Signal			4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60,100,120Hz), 1080/24p 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p			
Availa Caraa	Speaker Position		Down Firing	Side Back + Down Firing			
Audio Specs	Audio Power Output			10W +	+ 10W		
	Professional Hidden mode	Yes					
Professional	HDMI auto wake-up	Yes					
	Compatible with TDM Digital Signage	Yes					
	HTML5 platform	Yes					
features	Multicast/IPTV						
		A 1 100/11	c (,)	Yes			
	Operating System	Android 9.0 (via 1	rirmware update)	Android 9.0			
	On-board Storage (GB)			16GB			
	Wi-Fi Direct	Yes					
Network Specs	Wi-Fi Certified	Yes					
Network specs	Wireless LAN			Integ	rated		
Convenience		MPEG1:MPEG1/MPEG2PS:MPEG2/					
	USB playback codecs	MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotinJpeg/ ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/ MKV.Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ ASF(WMA)/WAV/MP4AAC/FLAC/JPEG		MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/ MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV. MP4AAC/FLAC/JPEG			
		MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/		I,VP8.HEVC/WEBM:VP8/3	GPP:MPEG4,AVC/MP3/AS	
		MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	4,VP8.HEVC/WEBM:VP8/3 MP4AAC/I	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock Sleep Timer	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock Sleep Timer On/Off Timer	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock Sleep Timer On/Off Timer	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	1,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25	GPP:MPEG4,AVC/MP3/AS	
	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	1,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG	
features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	1,VP8.HEVC/WEBNI:VP8/3 MP4AAC/1 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG	
features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 26 25 26 26	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG	
features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC	MKV:Xvid,AVC,M WEBM:VP8/3GPP:	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG	
features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP	MKV:Xvid,AVC,M WEBM:YP8/3GPP: ASF(WMA)/WAV/V	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25 25 25 25 26 25 26 29 25 29 29 20 21 20 21 22 22 22 22 23 22 23 22 23 23 24 24 24 24 24 24 24 24 24 24 24 24 24	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es	
features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s)	MKV:Xvid,AVC,M WEBM:YP8/3GPP: ASF(WMA)/WAV/W	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25 25 25 25 25 25 25 25 26 25 26 29 25 26 29 27 27 27 27 27 27 27 27 27 27 27 27 27	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide)	
features Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total	MKV:Xvid,AVC,M WEBM:YP8/3GPP: ASF(WMA)/WAV/W 1 1 1 (Rear Hybrid to 4 (3Side	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,IRear)	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) ide)	
features Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total)	MKV2Xuid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1(Rear Hybrid 1 4 (3Sidt 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,1Rear) ear)	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/1 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) jide) g Conversion)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 1 (R 1 (R 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,IRear) ear) ear)	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) 5ide) g Conversion) ide)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total)	MKV2Xuid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1(Rear Hybrid 1 4 (3Sidt 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,IRear) ear) ear)	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) jide) g Conversion)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 1 (R 1 (R 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,IRear) ear) ear)	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) 5ide) g Conversion) ide)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 1 (R 1 (R 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - w/Component) e,IRear) ear) ear)	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I as as as as as as 4 4 4 1(Side Analog 1(Side Analog 1(Side Analog 2(S de)	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) 5ide) g Conversion) ide)	
features Control Specs Inputs and outputs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 1 (R 1 (R 1 (R	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) 5ide) g Conversion) ide)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1(Rear Hybrid u 4 (3Sidu 1(R 1(R 3 (S	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide)	
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	MKV2Xuid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid v 4 (3Sidu 1 (R 1 (R 3 (S Silver C	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide)	F{WMA}//LPCM/WAV
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ide) ihevron 20.0x20.0 cm	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) ide) ide) ide) ide) ide) ide) ide Stand	F(WMA)/LPCM/WAV
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating	MKV2Xuid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid v 4 (3Sidu 1 (R 1 (R 3 (S Silver C	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ide) ihevron 20.0x20.0 cm	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide)	F(WMA)/LPCM/WAV
Control Specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) HDMI inputs total Analog Audio Input(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sidt 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ide) ihevron 20.0x20.0 cm	MKV:Xvid,AVC,MPEG4	I,VP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) ide) ide) ide) ide) ide) ide) ide Stand	F(WMA)/LPCM/WAV
Control Specs Doutputs and Dutputs Design features	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid u 4 (3Side 1 (Rear Hybrid u 4 (3Side 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm B 108.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I 25 25 25 25 25 25 25 25 25 25 25 25 25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide) ade Stand A+ 189.0 cm	F(WMA)/LPCM/WAV
Control Specs Control Specs Doutputs Design Ceatures Environment	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDIniputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption	MKV:Xvid, AVC, M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid v 4 (3Sidu 1 (R 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm B	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I P25 P25 P25 P25 P25 P25 P25 P25 P25 P25	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es ide) g Conversion) ide) ide) ide) aconversion) ide) aconversion) ide)	F(WMA)/LPCM/WAV
Control Specs Control Specs Doutputs Design Ceatures Environment	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) HDMI inputs total Analog Audio Input(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid u 4 (3Side 1 (Rear Hybrid u 4 (3Side 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm B 108.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I 25 25 25 25 25 25 25 25 25 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide) ade Stand A+ 189.0 cm	F(WMA)/LPCM/WAV
Control Specs Control Specs Doutputs Design Ceatures Environment	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid u 4 (3Side 1 (Rear Hybrid u 4 (3Side 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm B 108.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) ss de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de 10 11/2/3/4) 15 de 15 de 2 d 2 de 2 d 2 d 2 d 2 d 2 d 2 d 2	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide) ade Stand A+ 189.0 cm	F(WMA)/LPCM/WAV
Control Specs Control Specs Doutputs and Design Ceatures Environment	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) HDMI inputs total Analog Audio Input(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sid 1 (R 1 (R 1 (R 1 (R 3 (S 10.0x20.0 cm B 108.0 cm Standard: 76.0W	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de 10M1/2/3/4) 15 de Analog 15 de Analog 16 de Analo	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) ide) ide) ide) ide) ide) ide) ide)	F(WMA)/LPCM/WAV
Control Specs Control Specs Doutputs and Design Ceatures Environment	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid u 4 (3Side 1 (Rear Hybrid u 4 (3Side 1 (R 1 (R 3 (S Silver C 10.0x20.0 cm B 108.0 cm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) ss de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de 10 11/2/3/4) 15 de 15 de 2 d 2 de 2 d 2 d 2 d 2 d 2 d 2 d 2	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es ide) g Conversion) ide) g Conversion) ide) ade Stand A+ 189.0 cm	SF(WMA)/LPCM/WAV
features Control Specs Inputs and outputs Design features Environment specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA [®] Hole Spacing Compatible VESA [®] Hole Spacing Compatible VESA [®] Hole Spacing Compatible VESA [®] Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	MKV:Xvid,AVC,M WEBM:YP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 1 (Rear Hy	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) 15 de) 15 de) 15 de) 15 de) 15 de) 15 de/	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es ide) ide) ide) ide) ide) ide) ide) ide)	F(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 189.0W 1899/1089/72 m Approx.
features Control Specs Inputs and outputs Design features Environment specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethermet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 1 (Rear Hybrid 1 4 (3Sidi 1 (R 1 (R 1 (R 3 (S 5) 10.0x20.0 cm 8 108.0 cm 5 tandard: 76.0W 5 tandard: 76.0W	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG - - - - - - - - - - - - - - - - - - -	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) 15 10M11/2/3/4) 1(Sid 4(45 1(Side Analog 1(Sid 4(45 1(Side Analog 1(Sid 4(45 1(Side Analog 1(Sid 4(45 1(Side Analog 1(Sid 2(Sid 4) 1(S	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es de) de) de) de) de) de) de) de) de) de)	SF(WMA)/LPCM/WAV SF(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 1899×1089×72 m Approx. 1899×1089×72 m Approx. 1899×102×441 m
features Control Specs Inputs and outputs Design features Environment specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA [®] Hole Spacing Compatible VESA [®] Hole Spacing Compatible VESA [®] Hole Spacing Compatible VESA [®] Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	MKV2Xvid, AVC, M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 4 (3Sid 1 (Rear Hybrid 1 4 (3Sid 1 (R 1 (R 3 (S 10.0x20.0 cm 8 108.0 cm 5tandard: 76.0W 5tandard: 76.0W 965x569x58 mm Approx. 965x569x58 mm Approx. 965x628x279 mm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ear) ide) 20.0x20.0 cm 20.0x20.0 cm 123.2cm Standard: 88.0W Standard: 88.0W	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss ss de) 2s HDMI1/2/3/4) 1(Sid 4(45 1(Side Analog 1(Sid 4) 1(Side Analog 2(Sid 4) 1(Sid Analog 1(Sid 4)	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es ide) g Conversion) ide) ide ide Stand A+ 189.0 cm 152.0W 152.0W 152.0W 152.0W	SF(WMA)/LPCM/WAV SF(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 1899×1089×72 m Approx. 1899×1082×72 m Approx. 1899×1162×441 m Approx.
ieatures Control Specs Inputs and Design ieatures Environment specs	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control R5-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA* Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 1 (Rear Hybrid 1 4 (3Sidt 1 (R 1 (R 1 (R 3 (S 10.0x20.0 cm 8 10.0x20.0 cm 8 108.0 cm 5tandard: 76.0W 5tandard: 76.0W 965x569x58 mm Approx. 965x628x279 mm Approx. 965x628x279 mm Approx. 965x628x279 mm	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ear) ide) ihevron 20.0x20.0 cm il23.2c	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM.VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) 25 de) 25 de) 25 de) 15 de/ 25 de) 15 de/ 2 2 de/ 2 de/ 2 2 2 2 2 2 2 2 2 2	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es ide) ide) ide) ide) ide ade Stand A+ 189.0 cm 152.0W Approx. 1674×961x71 mm Approx. 1674×961x71 mm Approx. 1674×961x71 mm	SF(WMA)/LPCM/WAV SF(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 189.0W Approx. 1899×1089×72 m Approx. 1899×1162×411 m Approx. 1899×1162×411 m Approx.
features Control Specs Inputs and outputs Design features Environment specs Measurements	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of TV with Stand (W x H x D) Dimension of TV without Stand	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid 1 1 (Rear Hy	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) e,TRear) ear) ear) ear) ear) ear) ide) ihevron 20.0x20.0 cm 123.2cm 123.2cm Standard: 88.0W Approx. 1098x703x279 mm Approx. 1098x703x279 mm Approx. 1098x703x279 mm	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ss ss ss ss ss de) 15 de] 15 de]	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es ide) ide) ide) ide) ide) ide) ide) ide)	F(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 1899×1089×72 m 1899×1162×411 Approx. 1899×1162×42 m Approx. 1899×1162×42 m Approx.
features Control Specs Inputs and outputs Design features Environment specs Measurements	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of TV with Stand (W x H x D) Dimension of TV without Stand Weight of TV without Stand	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid v 1 (Rear Hybrid v 4 (3Sid 1 (R 1 (R 1 (R 1 (R 1 (R 1 (R 1 (R 3 (S 10.0x20.0 cm 8 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 1 108.0 cm 5 tandard: 76.0W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PEG4,VP8.HEVC/ MPEG4,VC7MP3/ IP4AAC/FLAC/JPEG w/Component) e,IRear) ear) ear) ear) ear) ear) ear) ide) 20.0x20.0 cm 20.0x20.0 cm 123.2cm Standard: 88.0W Standard: 88.0W Standard: 88.0W	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ass	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es conversion) ide) ide 2 conversion) ide) ide 3 conversion) ide) ide 4 conversion) ide) ide 3 conversion) ide 4 conversion) ide 3 conversion) ide 4 conversion) ide 4 conversion) ide 7 conversion) ide 7 conversion ide 7 c	SF(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 1899×1089×72 m Approx. 1899×1089×72 m Approx. 1899×1162×441 m Approx. 1899×1162×441 m Approx. 2038x125×260 m Approx. 45.8 kg Approx. 47.7 kg
features Control Specs Inputs and outputs Design features Environment specs Measurements	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D) Dimension of TV with Stand Weight of TV with Stand Weight of TV with Stand Weight of Package Carton(Gross)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid vi 1	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) earl earl earl earl earl earl earl ide) 20.0x20.0 cm 123.2cm 5tandard: 88.0W 7 123.2cm 5tandard: 88.0W 7 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I MP4AAC/I ss ss ss ss ss model iss mod	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es adde Stand adde Stand A+ 189.0 cm 152.0W 152.0W 1674×961x71 mm Approx. 1674×1034×410 mm Approx. 1812x1110x188 mm Approx. 32.9 kg Approx. 32.9 kg Approx. 32.9 kg Approx. 32.9 kg	F(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 215.0 cm 1899×1089×72 m 1899×1089×72 m 1899×102×441 m Approx. 1899×1162×441 m Approx. 2038x1235x260 m Approx. 45.8 kg Approx. 45.8 kg Approx. 45.8 kg
features Control Specs Inputs and outputs Design features Environment specs Measurements Weight Optional	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of TV with Stand (W x H x D) Dimension of TV without Stand Weight of TV without Stand	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid v 1 (Rear Hybrid v 4 (3Sid 1 (R 1 (R 1 (R 1 (R 1 (R 1 (R 1 (R 3 (S 10.0x20.0 cm 8 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 108.0 cm 5 tandard: 76.0W 1 1 108.0 cm 5 tandard: 76.0W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PEG4,VP8.HEVC/ MPEG4,VC7MP3/ IP4AAC/FLAC/JPEG w/Component) ear) ear) ear) ear) ear) ear) ear) ear	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I ass	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es conversion) ide) ide 2 conversion) ide) ide 3 conversion) ide) ide 4 conversion) ide) ide 3 conversion) ide 4 conversion) ide 3 conversion) ide 4 conversion) ide 4 conversion) ide 7 conversion) ide 7 conversion ide 7 c	F(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 1899×1089×72 m Approx. 1899×1089×72 m Approx. 1899×1162×441 m Approx. 1899×1162×441 m Approx. 2038x125×260 m Approx. 45.8 kc Approx. 47.7 kg
features Control Specs Inputs and outputs Design features Environment specs Measurements Weight Weight	On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input(s) HDMI inputs total Analog Audio Input(s) (Total) Digital Audio Output(s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch(W x H) Energy label rating Screen Size for WEB(diagonal, cm, integer or 1st decimal) On-mode power consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D) Dimension of Package Carton (W x H x D) Dimension of TV with Stand Weight of TV with Stand Weight of TV with Stand Weight of Package Carton(Gross)	MKV:Xvid,AVC,M WEBM:VP8/3GPP: ASF(WMA)/WAV/W 1 1 (Rear Hybrid vi 1	PEG4,VP8.HEVC/ MPEG4,AVC/MP3/ IP4AAC/FLAC/JPEG w/Component) earl earl earl earl earl earl earl ide) 20.0x20.0 cm 123.2cm 5tandard: 88.0W 7 123.2cm 5tandard: 88.0W 7 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm 123.2cm	MKV:Xvid,AVC,MPEG4	IVP8.HEVC/WEBM:VP8/3 MP4AAC/I MP4AAC/I MP4AAC/I ss ss ss ss ss model iss mod	GPP:MPEG4,AVC/MP3/AS FLAC/JPEG es es adde Stand adde Stand A+ 189.0 cm 152.0W 152.0W 1674×961x71 mm Approx. 1674×1034×410 mm Approx. 1812x1110x188 mm Approx. 32.9 kg Approx. 32.9 kg Approx. 32.9 kg Approx. 32.9 kg	F(WMA)/LPCM/WAV 40.0x40.0 cm 215.0 cm 215.0 cm 1899×1089×72 m 1899×1089×72 m 1899×102×441 m Approx. 1899×1162×441 m Approx. 2038x1235x260 m Approx. 45.8 kg Approx. 45.8 kg Approx. 45.8 kg

Optional accessories



CAB-VGAHDMI1 VGA to HDMI cable



TEOS Connect license TEC-SC100



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



Frontcover FC-XXBZ40H/W FC-XXBZ40H/WO







*XX to be replaced by the display size. Please find more accessories on our website.

For full features visit pro.sony/products/professional-displays

© 2020 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony.eu

Follow us on Twitter at @SonyDisplays or on LinkedIn at Sony Professional

Distributed	by
-------------	----



CAB-RSJA1 RS232 jack cable



TEOS Manage licenses TEM-CO10 TEM-MR10 TEM-DS10



SU-WL450/PSE Wall Mount



Totems TOT-XXBZ40H-IR10 TOT-XXBZ40H-CA10



PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- Receive a completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport Pro

SONY